CFD SIMULATIONS IN CARDIOVASCULAR SYSTEMS

ELIAS KARABELAS, GUNDOLF HAASE, AND FEDERICA CAFORIO

ABSTRACT. Simulating the total heart function includes CFD blood flow models which serve as the hydrodynamic load imposed on cardiac mechanics. Heart valves play a pivotal role in filling and ejection of cardiac chambers such as the left ventricle (LV). Thus, their functional representation in CFD simulations of hemodynamics in the LV and the attached aorta is vital. Usually this task is achieved using fluid-structure-interaction (FSI) where valves are modeled as thin structures.

We investigate the suitability of an alternative approach: A fictitious domain method is realized by extending the Navier-Stokes equation with a linear permeability term, which results in the Navier-Stokes-Brinkman equation. In this setting the permeability parameter is used to model a valve as a fictitious solid domain. The (fast) opening and closing of the valve is realized by changing the permeability within the finite elements which are covered by the moving valve in its current configuration. The underlying mesh representing the blood pool remains unchanged but the equations contain a volume fraction parameter denoting the degree of partial coverage of finite elements in the blood pool by the valve. To deal with turbulence occurring at higher Reynolds numbers the residual based variational multiscale (RBVMS) turbulence model [1] was employed. The RBVMS formulation has the additional property of stabilizing our method, which allowed the use of lowest equal order finite elements reducing also the implementation work in the cardiac modeling framework *CARPentry*. In this talk we will present ongoing validation work [5, 4] and applications stemming from clinical datasets [3, 2]. **Keywords**: fluid dynamics, fictitious domain, scientific computing

Mathematics Subject Classifications (2010): 92C10, 65N12, 76Z99

References

- Y. Bazilevs, V. Calo, J. Cottrell, T. Hughes, A. Reali and G. Scovazzi: Variational multiscale residual-based turbulence modeling for large eddy simulation of incompressible flows, Comput. Methods Appl. Mech. Eng., 197 (2007), 173-201 (2007).
- [2] J. Fuchsberger, P. Aigner, G. Haase, S. Niederer, H. Schima, G. Plank, E. Karabelas: "On the Incorporation of Obstacles in a Fluid Flow Problem Using a Navier-Stokes-Brinkman Penalization Approach", Journal of Computational Science, 57 (2022); doi: 10.1016/j.jocs.2021.101506; arXiv:2009.03113.
- [3] J. Fuchsberger, E. Karabelas, P. Aigner, H. Schirma, G. Haase and G. Plank: "Validation study of computational fluid dynamics models of hemodynamics in the human aorta", in J. Proceedings in Applied Mathematics and Mechanics, 19(1), pp. e201900472 (2019-09-04), doi: 10.1002/pamm.201900472, No 72
- [4] E. Karabelas, G. Haase, G. Plank and C. Augustin: "Versatile stabilized finite element formulations for nearly and fully incompressible solid mechanics", in J. Computational Mechanics (65), pp. 193-215 (2020), doi: 10.1007/s00466-019-01760-w
- [5] E. Karabelas, S. Longobardi, J. Fuchsberger, O. Razeghi, C. Rodero, M. Strocchi, R. Rajani, G. Haase, G. Plank, S. Niederer: "Global Sensitivity Analysis of Four Chamber Heart Hemodynamics Using Surrogate Models", IEEE transactions on bio-medical engineering, 69(10) pp. 3216-3223, 2022, doi: 10.1109/TBME.2022.3163428

UNIVERSITY OF GRAZ Email address: Elias.Karabelas@uni-graz.at

UNIVERSITY OF GRAZ, HEINRICHSTRASSE 36, 8010 - GRAZ AUSTRIA Email address: Gundolf.Haase@uni-graz.at

UNIVERSITY OF GRAZ Email address: Federica.Caforio@uni-graz.at